Tusass A/S (Referred to as Tusass)

Wholesale Data Services

Annex E1

Bit Stream Access ("BSA")

Operations & Maintenance Manual

Contents

1.	Scope	3
	Bit Stream Access (BSA) – Order Process	
2.1	Order Verification & Provision	3
2.	2 Service Change Process – e.g. Upgrade or Downgrade of access speed4	1
2.	3 Termination Process	1
2.	4 Move Address Process	5
2.	5 Order Aborted Process	5
2.	6 Post-Provisioning Processes	5
3.	BSA Service – Repair Process	5
3.1	Request by Service Taker for BSA Repair Process	5

1. Scope

This Annex covers the process for Bit Stream Access ("BSA") Service. These include:

- Order processes
- Repair processes

2. Bit Stream Access (BSA) – Order Process

This Service order process describes the procedures to be followed when a Service Taker requests a BSA service.

The process steps and procedures described below are subject to change from time to time as a result of amendments made to the internal operating processes of Tusass.

All communications relating to the BSA Service order process shall be via email to the email address: wholesale@tusass.gl.

2.1 Order Verification & Provision

Step 1	Service Taker initiates order by emailing the order form to the email address included in this Annex to the Agreement.
	IMPORTANT NOTE: If the Service Taker requires to terminate the end customer's retail service with Tusass or another Service Taker then the Service Taker must obtain a signed Customer Authorisation letter. (See Annex H of the Agreement.)

Step 2	If t	he order is a	accepted	the order	proce	essing beg	ins. Whe	en the	e order
		accepted					Taker	an	order
	ack	knowledgem	ent notifi	cation by	emai	l.			

Step 3	When the order is rejected Tusass sends the Service Taker an order
	rejection notification by email.

Step 4	 If Line Plant is available AND is pre-provisioned: Connection will be activated at the date/time notified by Tusass.
	Service Taker will receive order completion confirmation by email

Step 5	If line plant is available but not pre-provisioned:
Step 6	Order is placed in Tusass Wholesale department
Step 7	Work order is generated & issued to Tusass installation team
Step 8	Service Taker's Connect IP is configured by Tusass technical staff and Tusass send Service Taker an email to confirm when complete
Step 9	Tusass installation team installs line plant

Step 10	Service Taker will receive order completion confirmation by email on
1	a regular basis.

2.2 Service Change Process – e.g., Upgrade or Downgrade of access speed

Step 1	Service Taker initiates order by emailing the order form to the email address included in this Annex to the Agreement.
	The email includes the circuit number and/or End-Customer premises address information
Step 2	The Service Taker will receive an order acknowledgement or rejection by email
Step 3	DSLAM or Switch port configuration will be changed to selected speed and activated and completed at the date/time notified by Tusass
Step 4	Service Taker will receive an order completion confirmation by email on a regular basis

2.3 Termination Process

Step 1	For termination of the BSA service, Service Taker must give 1 (one) months' notice to the turn of the month.
	Service Taker initiates order by emailing the order form to the email address included in this Annex to the Agreement.
	The email includes the circuit number and/or End-Customer premises address information

Step 2	The Service Taker will receive a termination acknowledgement by email		
Step 3	DSLAM or Switch port configuration will be changed to deactivate at the date/time notified by Tusass		
Step 4	Service Taker will receive order completion confirmation by email on a regular basis. Final bill shall be issued up to the termination completion date		

2.4 Move Address Process

Step 1	Service Taker initiates order by emailing the order form to the email address included in this Annex to the Agreement.
	The email includes the circuit number and/or End-Customer premises address information

Step 2	The Service Taker will receive an order acknowledgement or rejection by email
Step 3	Existing BSA line will be terminated and new BSA line will be set up with minimal loss of service at the date/time notified by Tusass
Step 4	Service Taker will receive order completion confirmation by email on

2.5 Order Aborted Process

a regular basis

St	tep 1	If the Service Taker aborts an order after the order has been accepted by Tusass then Tusass reviews the progress of the order to collect information about the costs incurred up to the stage when the order was aborted

Step 2	Tusass informs the Service Taker that the request has been aborted	
	and billing the Service Taker for the costs incurred	

2.6 **Post-Provisioning Processes**

Step 1	The completed order is updated on Tusass' records
Step 2	Tusass verifies whether any additional billable costs were incurred during the process and issues a bill for any such additional billable costs
Step 3	Billing for the BSA Service commences

3. BSA Service – Repair Process

This repair process describes the procedures to be followed when a Service Taker requests either maintenance or repair of a BSA Service.

All communications related to the process shall be via email at the following email address <u>ikiuut@tusass.gl</u>. The e-mail must contain information regarding circuit ID in the subject field.

The Service Taker is responsible for investigating any End-Customer reports relating to the BSA and will report a fault to Tusass only where the Service Taker has reasonable grounds to believe that the fault lies within the Tusass Network.

All requests of assistance must be submitted to Tusass by the Service Taker. Tusass will not accept any fault reports from an End-Customer.

If during testing for any type of repair or maintenance, Tusass deems it necessary to carry out tests to localise the fault, Tusass shall do this without informing the Service Taker or the End-Customer.

Tusass shall use reasonable endeavours to detect and rectify the fault conditions. The Service Taker shall co-operate with Tusass' reasonable requests in an effort to locate and if possible resolve any fault that may be present. This may include making arrangements for a Tusass technician to visit the End-Customer premises.

3.1 Request by Service Taker for BSA Repair Process

Step 1	Service Taker submits a BSA Service fault report to Tusass via email. The Service Taker shall supply any additional information that may assist Tusass in classifying the nature of the fault and identifying the cause
Step 2	Any fault report shall include:

	End user details, address, contact no etc.
	 Identification of the specific wholesale service(s) that is
	covered by this fault report.
	 A clear and precise description(s) of the encountered
	symptoms, including:
	 When the symptom started or was detected
	 End-Customer's geographical location(s)
	 Which other wholesale service(s) have been identified
	as affected

Step 3 Service Taker will receive an email acknowledgement including a trouble ticket number for reference
--

Step 4	Tusass will carry out fault finding, diagnosing the fault, identifying corrective action and, if needed, schedule the action(s) required
Step 5	Tusass shall periodically inform the Service Taker of status and progress including estimated fault clearance time
Step 6	Tusass technical staff may require access to End-Customer and/or Service Taker premises to carry out fault diagnostics and repair. The Service Taker must assist in this

Step 7	 When fault has been rectified, Tusass shall inform the Service Taker including information High level root cause analysis Fault duration from report to clearance
Step 8	If no faults are found the Service Taker will be billed for "Testing when No Fault Found (with technician intervention)" as per the Charges Annex G